



MEASURES



- ...▶ ONE HAND OPERATED.
- ...▶ GAL VANISED SHEET,
- ...▶ SPILL PROOF TOP
- ...▶ CALIBRATED LIFE LINE
- ...▶ AVAILABLE IN FIX & FLEXIBLE SPOUT

CAT NO	SPOUT		CAPACITY	HEIGHT
55-201	RIGID SPOUT	7/8" OD	1 QUART	6 1/2"
55-202	RIGID SPOUT	7/8 OD	2 QUART	9 1/2"
55-203	RIGID SPOUT	7/8 OD	4 QUART	11"



- ...▶ ONE HAND OPERATED.
- ...▶ GAL VANISED SHEET,
- ...▶ SPILL PROOF TOP
- ...▶ CALIBRATED LIFE LINE
- ...▶ AVAILABLE IN FIX & FLEXIBLE SPOUT

CAT NO	SPOUT		CAPACITY	HEIGHT
55-211	FLEXIBLE SPOUT WITH	1/2" OD TIP	1 QUART	6 1/2"
55-212	FLEXIBLE SPOUT WITH	1/2" OD TIP	2 QUART	9 1/2"
55-213	FLEXIBLE SPOUT WITH	1/2" OD TIP	4 QUART	11"

FUNNELS



55-321

GALVANIZED STEEL FUNNELS MOST POPULAR FOR TRANSMISSION FLUID 1 QUART CAPACITY, 12" STEEL FLEXIBLE INCLUDE SCREEN WITH 1/2" OD TIP, 5 3/4" DIAMETER, & 17 1/2" OVER LENGTH

55-331

PAINT FINISH, 1 QUART CAPACITY, 12" STEEL FLEXIBLE INCLUDE SCREEN 1/2" OD TIP, 5 3/4" DIA & 17 1/2" LENGTH.