




- ...▶ Body is seamless drawn.
- ...▶ Attractive plastic pump.
- ...▶ Colour as per order.
- ...▶ Pump has two ball valve for large volume delivery per stroke.

CAT NO		CAT NO		Capacity	Spout Size		Pump
Rigid Spout	Flexible Spout	Regid+Flexible Spout	Regid		Flexible		
10-261	*10-271	*10-281	200cc/602	5"(125mm)	6"(150mm)	Plastic	
10-262	*10-272	*10-282	300cc/1002	5"(125mm)	6"(150mm)	Plastic	
10-263	*10-273	*10-283	400cc/1302	6"(150mm)	7"(175mm)	Plastic	
10-264	*10-274	*10-284	500cc/1602	6"(150mm)	7"(175mm)	Plastic	
*10-265	*10-275	*10-285	700cc/2302	7"(175mm)	8"(200mm)	Plastic	
*10-266	*10-276	*10-286	1000cc/1 quart	8"(200mm)	9"(225mm)		





- ...▶ All heavy steel painted with special spring action steel bottom.
- ...▶ Available with rigid spouts base thread 1/4"-32
- ...▶ Body is seamless drawn.

CAT NO	Capacity	Spout
10-351	150ml	4"(100mm)
10-352	250ml	5"(125mm)

* Not Shown

HEAVY DUTY PISTOL OILERS

Heavy duty steel painted body with m/c steel piston chrome plated heavy duty trigger. That size is available with or without base. In the front of rigid spouts brass cone machined tip to lift dust cap. Only flex spouts are detachable with base thread 1/4"-28. Pump has two ball valve for large volume delivery per stroke. Body is seamless dawn.



Capacity	Spout	CAT NO	CAT NO
60z	6"Rigid	10-401	*10-411
60z	6"Flexible	10-402	*10-412
60z/with base	6"Rigid	10-403	*10-413
60z/with base	6"Flexible	10-404	*10-414
60z	Without Spout	*10-405	*10-415
60z/with base	Without Spout	*10-406	*10-416

* Not Shown

DELUXE PISTOL OILERS

All painted and chrome plated body with chrome plated trigger head cap and spout



Capacity	Spout	CAT NO (Steel Pump)	CAT NO (Brass Pump)
60z	6"Rigid	10-421	*10-431
60z	6"Rigid	10-422	*10-432
60z/with base	6"Flexible	10-423	*10-433
60z/with base	6"Flexible	10-424	*10-434
60z	Without spout	*10-425	*10-435
60z	Without spout	*10-426	*10-436
60z	6"Flexible	*10-427	10-437
60z/with base	6"Rigid	*10-428	10-438
60z	Without spout	*10-429	*10-439

10-425,26,29 For the fix & flexible spout use cat no. 10-671

*** Not Shown**

[back](#)   [next](#)



HEAVY DUTY PISTOL OILER



- ...▶ Heavy duty painted body with m/c steel piston chrome plated heavy duty trigger.
- ...▶ In the front of rigid spouts brass cone machined tip to lift oil filter dust cap.
- ...▶ Only flexible spout are. detachable with base thread 1/4"-28.
- ...▶ Body is seamless drawn.

Capacity	Spout	CAT NO	CAT NO
		Steel Pump	Brass Pump
1Pint	6"Rigid	10-451	*10-461
1Pint (with Deluxe cap)	6"Rigid	10-452	*10-462
1Pint (with Deluxe cap)	Without spout	10-473	*10-483
1Pint	6"Flexible	10-453	*10-463
1Pint	Without spout	*10-454	*10-464
1Quart	Without spout	*10-455	*10-465
1Quart	6"Rigid	*10-456	*10-466
1Quart	6"Flexible	*10-457	*10-467
1Quart	Without spout	*10-458	*10-468

For the fix & flexible spout use cat no. 10-671

*** Not Shown**

HEAVY DUTY PISTOL OILER



- ...▶ Heavy duty painted body with m/c steel piston chrome plated heavy duty trigger.
- ...▶ In the front of rigid spouts brass cone machined tip to lift oil filter dust cap.
- ...▶ Only flexible spout are. detachable with base thread 1/4"-28.
- ...▶ Body is seamless drawn.

Capacity	Spout	CAT NO	
		Steel Pump	Brass Pump
1Pint	6"Rigid	10-451	*10-461
1Pint (with Deluxe cap)	6"Rigid	10-452	*10-462
1Pint (with Deluxe cap)	Without spout	10-473	*10-483
1Pint	6"Flexible	10-453	*10-463
1Pint	Without spout	*10-454	*10-464
1Quart	Without spout	*10-455	*10-465
1Quart	6"Rigid	*10-456	*10-466
1Quart	6"Flexible	*10-457	*10-467
1Quart	Without spout	*10-458	*10-468

For the fix & flexible spout use cat no. 10-671

*** Not Shown**

HANDLED OILERS



- ...▶ Heavy duty steel body.
- ...▶ All painted oiler chrome plated thumb triggers, Zinc plated detachable fix & flex spouts
- ...▶ With base thread 1/2"-20 machined tip to lift oil filter dust cap for fix spouts.
- ...▶ Machine piston for extra pressure.
- ...▶ Body is seamless drawn.

Capacity	Spout	CAT NO	
		Steel Pump	Brass Pump
1Pint	9"Rigid, 30 Bend	10-501	*10-511
1Pint	9"Rigid	10-502	*10-512
1Pint	9"Flexible	10-503	*10-513
1Pint	9"Rigid, 30 Bend	10-504	*10-514
1Pint	9"Flexible	10-505	*10-515
1Pint	Without spout	*10-506	*10-516
1Quart	9"Rigid, 30 Bend	10-526	*10-536
1Quart	9"Rigid	10-527	*10-537
1Quart	9"Flexible	10-528	*10-538
1Quart	9"Rigid, 30 Bend	*10-529	*10-539
1Quart	9"Flexible	*10-530	*10-540
1Quart	Without spout	*10-531	*10-541

With chrome plated deluxe handle (that gives a professional look)

*** Not Shown**





- ...▶ Heavy duty steel body.
- ...▶ All painted oiler chrome plated thumb triggers, Zinc plated detachable fix & flex spouts
- ...▶ With base thread 1/2"-20 machined tip to lift oil filter dust cap for fix spouts.
- ...▶ Machine piston for extra pressure.
- ...▶ Body is seamless drawn.

Capacity	Spout	CAT NO	
		Steel Pump	Brass Pump
1Pint	9"Rigid, 30 Bend	10-501	*10-511
1Pint	9"Rigid	10-502	*10-512
1Pint	9"Flexible	10-503	*10-513
1Pint	9"Rigid, 30 Bend	10-504	*10-514
1Pint	9"Flexible	10-505	*10-515
1Pint	Without spout	*10-506	*10-516
1Quart	9"Rigid, 30 Bend	10-526	*10-536
1Quart	9"Rigid	10-527	*10-537
1Quart	9"Flexible	10-528	*10-538
1Quart	9"Rigid, 30 Bend	*10-529	*10-539
1Quart	9"Flexible	*10-530	*10-540
1Quart	Without spout	*10-531	*10-541

With chrome plated deluxe handle (that gives a professional look)

*** Not Shown**





- ...▶ Heavy duty steel body.
- ...▶ All painted oiler chrome plated thumb triggers, Zinc plated detachable fix & flex spouts
- ...▶ With base thread 1/2"-20 machined tip to lift oil filter dust cap for fix spouts.
- ...▶ Machine piston for extra pressure.
- ...▶ Body is seamless drawn.

Capacity	Spout	CAT NO	
		Steel Pump	Brass Pump
1Pint	9"Rigid, 30 Bend	10-501	*10-511
1Pint	9"Rigid	10-502	*10-512
1Pint	9"Flexible	10-503	*10-513
1Pint	9"Rigid, 30 Bend	10-504	*10-514
1Pint	9"Flexible	10-505	*10-515
1Pint	Without spout	*10-506	*10-516
1Quart	9"Rigid, 30 Bend	10-526	*10-536
1Quart	9"Rigid	10-527	*10-537
1Quart	9"Flexible	10-528	*10-538
1Quart	9"Rigid, 30 Bend	*10-529	*10-539
1Quart	9"Flexible	*10-530	*10-540
1Quart	Without spout	*10-531	*10-541

With chrome plated deluxe handle (that gives a professional look)


*** Not Shown**

back next



SPOUTS & ACCESSORIES FOR OILERS.

All the spouts are available with zinc coated finish.



CAT NO	DESCRIPTION	BASE THREAD
10-604	4"rigid	1/4"-32
*10-605	5" "	1/4"-32
10-606	6" "	1/4"-32
*10-607	7" "	1/4"-32
*10-608	8" "	1/4"-32
10-609	9" "	1/4"-32
10-6115	5"Flexible"	1/4"-32
*10-6116	6" "	1/4"-32
*10-6117	7" "	1/4"-32
*10-6118	8" "	1/4"-32
*10-6119	9" "	1/4"-32
*10-620	10" "	1/4"-32
*10-621	11" "	1/4"-32
*10-622	12" "	1/4"-32
10-631	9"Rigid, 30 Bend	1/2"-20

10-632	9"Rigid	1/2"-20
10-633	9"Flexible"	1/2"-20
10-666	6"Flexible"	1/4-28
* Not Shown		



That machined components one side internal thread 1/4"-32 and the other side 1/4"-28. For heavy duty pistol oiler with flexible spout. With this we can fit the rigid & flexible spout.



[back](#)